

GOVERNMENT OF TELANGANA
ABSTRACT

Public Servants – RWS&S – Allegations of irregularities in execution of CPWS Schemes in Jagitial and Raikal Mandals in Karimnagar district against Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagitial presently working as Dy.Executive Engineer, Karimnagar Sub-Division - Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 304.

Dated:14.05.2015

ORDER:

It is proposed to hold an enquiry against Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagitial presently working as Dy.Executive Engineer, Karimnagar Sub-Division, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II & III).

3. Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagitial presently working as Dy.Executive Engineer, Karimnagar Sub-Division, is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagitial presently working as Dy.Executive Engineer, Karimnagar Sub-Division, is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagitial presently working as Dy.Executive Engineer, Karimnagar Sub-Division, is further informed that if he does not submit his written statement of defence on or before the period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagitial presently working as Dy.Executive Engineer, Karimnagar Sub-Division, is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri B.Rajesham, Dy. Executive Engineer, RWS&S Sub-Division, Jagitial, Karimnagar District, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

(PTO)

::2::

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

J. RAYMOND PETER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagitial
presently working as Dy.Executive Engineer, Karimnagar Sub-Division through
the Engineer-in-Chief, RWS&S, Hyderabad.
The Engineer-in-Chief, RWS&S, Hyderabad.
(in duplicate with a request to serve and return the dated acknowledgement copy)
Copy to:
The PR&RD (RWS.I) Dept.
SF/SC

//FORWARDED: BY ORDER//

SECTION OFFICER

ANNEXURE-I

(Annexure to G.O.Rt.No.304 , PR&RD (Vig.I) Dept., dt.14.05.2015)

STATEMENT OF ARTICLE OF CHARGES AGAINST SRI B.UPPALAIAH, THE THEN DY. EXECUTIVE ENGINEER, RWS&S SUB-DIVISION, JAGITAL PRESENTLY WORKING AS DY.EXECUTIVE ENGINEER, KARIMNAGAR SUB-DIVISION

CHARGE:

That Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagital presently working as Dy.EE, Karimnagar Sub-Division, has failed to:-

- (i) Supervise and exercise control on sub-ordinates;
- (ii) Maintain 7-F account;
- (iii) Maintain prescribed QC registers during progress of work;
- (iv) Conduct Field Testing of Pipeline;
- (v) Calculate and deduct correct seigniorage charges and conduct of requisite tests on materials used as per codal rules;
- (vi) Complete and commissioning of the scheme as per schedule.

BASIS:

As per the Report of Chief Engineer, Vigilance & QC, RWS&S, Hyderabad Lr.No.AE1/DEE(V&QC)/Irregularities in Jagital & Raikal/KRMN/2014-15, dt.28.11.2014, the following irregularities are found in the execution of CPWS schemes to Jagital & Raikal Mandals in Karimangar district.

- Though the execution of schemes has been completed by January, 2012 including electrification of schemes, no efforts have been put by him in commissioning of the scheme till 20.08.2014. The scheme was kept idle for a period of 31 months, with this it can be concluded that, he has shown Gross Negligence to complete the scheme in time and commission the scheme for which he is responsible.
- The basic fundamental tests of materials and civil works have not been done in assessing the quality of works.
- Lacked supervision and control sub-ordinates. Not maintained 7-F Account, not maintained QC registered during progress of work and not tested the pipeline in the field.
- Due to erroneous calculations and due to recommending wrong payments, a total amount of Rs.18,07,761/- has been paid to the contractor in excess, thus causing loss to the Govt. exchequer.
- Proper care has not been taken in maintaining the records of the works.

From the above, it is evident that Sri B.Uppalaiah, the then Dy. Executive Engineer, RWS&S Sub-Division, Jagital presently working as Dy.Executive Engineer, Karimnagar Sub-Division, has shown Gross Negligence in discharging his Legitimate Duties and caused loss to the Govt. exchequer for an amount of Rs.18,07,761/- and violated Rule (3) of A.P.Civil Services (Conduct) Rules, 1964.

Hence, the charge.

J. RAYMOND PETER
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE -II

(Annexure to G.O.Rt.No.304 , PR&RD (Vig.I) Dept., dt.14.05.2015)

LIST OF THE DOCUMENTS BY WHICH THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI B.UPPALAIAH, THE THEN DY. EXECUTIVE ENGINEER, RWS&S SUB-DIVISION, JAGITIAL PRESENTLY WORKING AS DY.EXECUTIVE ENGINEER, KARIMNAGAR SUB-DIVISION

Chief Engineer, Vigilance & QC, RWS&S, Hyderabad Lr.No.AE1/DEE
(V&QC)/Irregularities in Jagitial & Raikal/KRMN/2014-15, dt. 28.11.2014.

J. RAYMOND PETER
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER

ANNEXURE – III

(Annexure to G.O.Rt.No.304 , PR&RD (Vig.I) Dept., dt.14.05.2015)

LIST OF THE WITNESSES BY WHOM THE ARTICLE OF CHARGES ARE PROPOSED TO BE SUSTAINED AGAINST SRI B.UPPALAIAH, THE THEN DY. EXECUTIVE ENGINEER, RWS&S SUB-DIVISION, JAGITIAL PRESENTLY WORKING AS DY.EXECUTIVE ENGINEER, KARIMNAGAR SUB-DIVISION

-Nil-

J. RAYMOND PETER
PRINCIPAL SECRETARY TO GOVERNMENT

SECTION OFFICER